



Customer ID: 221007-0

Certificate of Analysis

Company: VT Green Castle Reserve Sample ID: GRANDPAS STASH

Lot: SCLT0023-03 Report Date: 4/19/2023 Matrix: Flower Date Analyzed: 4/7/2023

Date Sampled: N/A Analyst: 035

Grower License #: SCLT0023 Date Received: 4/4/2023 Report ID: C230404AZ

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	0.736	0.074
Camphene	0.010	0.098	0.010
β-Myrcene	0.010	2.247	0.225
b-Pinene	0.010	1.498	0.150
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	3.936	0.394
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.032	0.003
Y-Terpinene	0.010	0.014	0.001
Terpinolene	0.010	0.091	0.009
Linalool	0.010	2.408	0.241
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	0.019	0.002
Caryophyllene	0.010	3.149	0.315
α-Humulene	0.010	1.668	0.167
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.413	0.041
Caryophyllene Oxide	0.010	0.045	0.005
α-Bisabolol	0.010	0.108	0.011
Total Terpenes		16.462	1.648

10.96%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)