

Certificate of Analysis

Company: Ardens Gardens 200 Ward Rd Wolcott, VT 05680 Customer ID: 200225-0 Grower License #: CLTV0084 Sample ID: Alabama Kush Lot: N/A Matrix: Flower Date Sampled: N/A Date Received: 2/10/2023

Report Date: 3/17/2023 Date Analyzed: 3/16/2023 Analyst: 035 Report ID: C230210AH

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.570	0.157
Camphene	0.010	0.365	0.037
β-Myrcene	0.010	1.585	0.159
b-Pinene	0.010	1.886	0.189
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	0.023	0.002
Limonene	0.010	3.423	0.342
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.019	0.002
Y-Terpinene	0.010	0.027	0.003
Terpinolene	0.010	0.429	0.043
Linalool	0.010	1.551	0.155
Isopulegol	0.010	0.319	0.032
Geraniol	0.010	0.393	0.039
Caryophyllene	0.010	2.539	0.254
α-Humulene	0.010	1.681	0.168
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.144	0.014
α-Bisabolol	0.010	0.209	0.021
Total Terpenes		16.163	1.617

10.29% Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: _____

Luke E.M.

(802) 540-0148 laboratory@biadiagnostics.com

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)