



Certificate of Analysis

Company: Vermont Select LLC Sample ID: CLTV0081-6

PO Box 532 **Lot:** N/A **Report Date:** 5/15/2023

South Hero, VT 05486 Matrix: Flower Date Analyzed: 05/12/223

Customer ID: 210208-21 Date Sampled: N/A Analyst: 045

Grower License #: CLTV0081 Date Received: 5/10/2023 Report ID: C230510AM

Pesticides/Mycotoxins Summary

	•	
Category II Residual	LOQ (ppm)	Concentration (ppm)
Pesticide		
Abamectin	0.0100	<loq< th=""></loq<>
Acephate	0.0010	<loq< th=""></loq<>
Acequinocyl	0.0010	<loq< th=""></loq<>
Azoxystrobin	0.0010	<loq< th=""></loq<>
Bifenazate	0.0010	<loq< th=""></loq<>
Bifenthrin	0.0010	<loq< th=""></loq<>
Carbaryl	0.0010	<loq< th=""></loq<>
Cypermethrin	0.0100	<loq< th=""></loq<>
Etoxazole	0.0010	<loq< th=""></loq<>
Imidacloprid	0.0010	<loq< th=""></loq<>
Myclobutanil	0.0010	<loq< th=""></loq<>
Pyrethrin I	0.0010	<loq< th=""></loq<>
Pyrethrin II	0.0010	<loq< th=""></loq<>
Spinosyn A	0.0010	<loq< th=""></loq<>
Spinosyn D	0.0010	<loq< th=""></loq<>

Category II Mycotoxin	LOQ (ppm)	Concentration (ppm)
Ochratoxin A	0.0020	NOT TESTED
Aflatoxin B1	0.0002	NOT TESTED
Alfatoxin B2	0.0010	NOT TESTED
Alfatoxin G1	0.0002	NOT TESTED
Alfatoxin G2	0.0010	NOT TESTED

Category I Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Chlorpyrifos	0.0010	<loq< th=""></loq<>
Imazalil	0.0010	<loq< th=""></loq<>



10.83%

Percent Moisture

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by: Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.

Results apply to the samples as received.