



261 Mountain View Dr  
 Colchester, VT 05446  
 License #: TLAB0030  
 802-767-7256  
 info@vt.steepphill.com

# Certificate of Analysis

**Client Name:** Vermont Cannabis Control Board  
**License Number:** CCB

**Sample ID:** VT802  
**Sample Name:** Super Lemon Haze  
**Sample Lot:** 05  
**Sample Matrix:** Flower  
**Date Received:** 2/13/2023  
**Date Reported:** 2/24/2023



## Pesticides Pass

Residual pesticide analysis utilizing Liquid Chromatography – Mass Spectrometry (LC-MSMS; SOP-070-VT) - **Limit units: ppm** | Test ID: #1475

Analyte	Pass/Fail	Result (ppm)	Limit (ppm)	LOD (ppm)	LOQ (ppm)
Abamectin B1a	Pass	ND	0.100	0.00072	0.00240
Abamectin B1b	Pass	ND	0.100	0.00003	0.00010
Acephate	Pass	ND	0.100	0.00060	0.00200
Acequinocyl	Pass	ND	0.100	0.00303	0.01010
Azoxystrobin	Pass	ND	0.100	0.00030	0.00100
Bifenazate	Pass	ND	0.100	0.00030	0.00100
Bifenthrin	Pass	ND	3.000	0.00030	0.00100
Carbaryl	Pass	ND	0.500	0.00030	0.00100
Chlorpyrifos	Pass	ND	0.040	0.00030	0.00100
Cypermethrin	Pass	ND	1.000	0.00150	0.00500
Etoxazole	Pass	ND	0.100	0.00030	0.00100
Imazalil	Pass	ND	0.040	0.00030	0.00100
Imidacloprid	Pass	ND	5.000	0.00060	0.00200
Myclobutanil	Pass	ND	0.100	0.00030	0.00100
Spinosyn A	Pass	ND	0.100	0.00022	0.00072
Spinosyn D	Pass	ND	0.100	0.00060	0.00200
Pyrethrins	Pass	ND	0.500	0.00022 0.00498 *	0.00072 0.00015 *

\* Pyrethrins action limit represents sum of isomers I & II

Callie Chapman  
 Lab Director  
 2/24/2023



In performing the services, Steep Hill Vermont Labs, ("SHVT") shall exercise a degree of skill and care ordinarily exercised by a reasonably prudent laboratory professional under similar circumstances. Except as set forth in the preceding sentence, client acknowledges and agrees that: (a) the services may require SHVT to make judgements based upon limited data rather than upon scientific certainties; (b) SHVT's approach, recommendations, and associated cost estimates, if any, are based on industry practices and averages; (c) SHVT renders its opinions with respect to observations made and data available at the time of testing; (d) ultimate outcomes could be inconsistent with SHVT's conclusions, results and projections; and (e) there may be additional reports relating to the site (whether prepared by SHVT or other parties), and reliance upon any SHVT report without reference to any such other reports is done at client's sole risk.

