

Certificate of Analysis

Company: Vt. Medicine Man Botanical

Sample ID: Hella Jelly

5356 Hollister Hill

Lot: 104

Marshfield, VT 05658

Matrix: Flower

Report Date: 8/24/2023

Date Analyzed: 8/23/2023

Customer ID: 221209-0

Date Sampled: N/A

Analyst: 011

Grower License #: SCLT0195

Date Received: 8/18/2023

Report ID: C230818AJ

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	0.77	0.08
CBGA	0.0008	4.58	0.46
CBG	0.0019	0.71	0.07
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	1.75	0.17
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	176.27	17.63
CBC	0.0024	<LOQ	<LOQ
Total THC		156.33	15.63
Total CBD		0.68	0.07
Total Cannabinoids		184.07	18.41

15.63%

Total THC

0.07%

Total CBD

18.41%

Total Cannabinoids

0.17%

Δ9-THC

10.70%

Percent Moisture

1 : 0

THC : CBD Ratio



Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: *Luke E.M*
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)