

Office: 802-540-0148 | Fax: 802-540-0147 480 HERCULES DR. COLCHESTER, VT 05446

## **Certificate of Analysis**

Company: Clovis LLC Sample ID: Composite - DQ, CS, SF, EV, SD

Lot: 3 Report Date: 12/28/2023

Matrix: Flower Date Analyzed: 12/27/2023

Customer ID: 221031-3 Date Sampled: N/A Analyst: 045

Grower License #: CLTV0099 Date Received: 12/14/2023 Report ID: C231214AU

## Pesticides/Mycotoxins Summary

Category II Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Abamectin	0.0100	<loq< th=""></loq<>
Acephate	0.0010	<loq< th=""></loq<>
Acequinocyl	0.0010	<loq< th=""></loq<>
Azoxystrobin	0.0010	<loq< th=""></loq<>
Bifenazate	0.0010	<loq< th=""></loq<>
Bifenthrin	0.0010	<loq< th=""></loq<>
Carbaryl	0.0010	<loq< th=""></loq<>
Cypermethrin	0.0100	<loq< th=""></loq<>
Etoxazole	0.0010	<loq< th=""></loq<>
Imidacloprid	0.0010	<loq< th=""></loq<>
Myclobutanil	0.0010	<loq< th=""></loq<>
Pyrethrin I	0.0010	<loq< th=""></loq<>
Pyrethrin II	0.0010	<l0q< th=""></l0q<>
Spinosyn A	0.0010	<loq< th=""></loq<>
Spinosyn D	0.0010	<loq< th=""></loq<>

Category II Mycotoxin	LOQ (ppm)	Concentration (ppm)
Ochratoxin A	0.0020	NOT TESTED
Aflatoxin B1	0.0002	NOT TESTED
Alfatoxin B2	0.0010	NOT TESTED
Alfatoxin G1	0.0002	NOT TESTED
Alfatoxin G2	0.0010	NOT TESTED

Category I Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Chlorpyrifos	0.0010	<loq< th=""></loq<>
Imazalil	0.0010	<loq< th=""></loq<>



N/A

Percent Moisture

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by: Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context.

Results apply to the samples as received. (802) 540-0148 laboratory@biadiagnostics.com