



## **Certificate** of Analysis

Company: Formulation Station Sample ID: Northen Craft Cannabis Tritoon Vape Cartridge

**Lot:** MANU003523NCCDISTTRI71 **Report Date:** 10/20/2023

Matrix: Concentrate Date Analyzed: 10/19/2023

Customer ID: 190830-15 Date Sampled: N/A Analyst: 048

Grower License #: MANU0035 Date Received: 10/12/2023 Report ID: C231012AZ

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	2.001	0.200
Camphene	0.010	0.061	0.006
β-Myrcene	0.010	3.602	0.360
b-Pinene	0.010	0.980	0.098
3-Carene	0.010	0.027	0.003
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	2.788	0.279
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.066	0.007
Y-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Terpinolene	0.010	0.063	0.006
Linalool	0.010	1.328	0.133
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	5.732	0.573
α-Humulene	0.010	3.091	0.309
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.103	0.010
Caryophyllene Oxide	0.010	0.112	0.011
α-Bisabolol	0.010	0.146	0.015
Total Terpenes		20.100	2.010

N/A

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke King

C231012A7

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)